<section-header>

Powerful 12,000-lumen WUXGA 3LCD laser projector offering outstanding image sharpness and brightness, and long-lasting, low maintenance performance.

The EB-L1500UH installation laser projector offers powerful 12,000-lumen WUXGA performance with rich, vivid colours, for large rooms and venues, as well as reliable fit and forget performance. With flexible installation and low maintenance, this 4K-enhanced projector offers a perfect solution for scenarios where only maximum performance and durability will do.

Laser-sharp images

Ensure that your presentations, images and video pack a punch with the vivid, sharp projection offered by this 3LCD laser projector. Designed for larger venues, its high resolution WUXGA images are vivid and bright, even in daylight, while inorganic phosphor wheel technology provides superior light and heat resistance to deliver excellent reliability that lasts for up to 83,000 hours¹.

4K enhancement

For a next-level viewing experience, the projector features ingenious 4K enhancement technology, giving images exceptional sharpness and clarity, and ensuring that text in presentations is clearly legible.

Flexible positioning

Thanks to a wide range of motorised lenses, including optional ultra-short-throw (UST) lens, the projector benefits from true 360° installation flexibility, allowing it to be placed virtually anywhere - without loss of brightness or distortion of image. The projector also has a built-in camera to ensure accurate calibration and capture diagnostic images (this can be fully disabled to prevent remote access).

Versatile new software

All models in the EB-L1000 series can take advantage of free Epson Professional Projector Tool software from December 2017. It allows you to set up multi-projector installations straight out of the box, simply and quickly, as well as utilising advanced techniques such as projection-mapping and edge-blending.

DATASHEET / BROCHURE



KEY FEATURES

- Laser light source technology Outstanding brightness and colour, with fit and forget reliability
- HD images with 4K enhancement Exceptional sharpness, clarity and detail for crisp images and legible text
- Versatile new software Set up multiple projector installations and utilise advanced projection techniques
- Flexible 360° installation True flexibility without distortion or loss of brightness
- Added peace of mind Product comes with five-year, 20,000hour warranty





PRODUCT SPECIFICATIONS

TECHNOLOGY	21 CD Technology
Projection System LCD Panel	3LCD Technology 1.03 inch with C2 Fine
MAGE	
Color Light Output	12,000 Lumen- 8,400 Lumen (economy) In accordance with ISO 21118:2013
White Light Output	12,000 Lumen - 8,400 Lumen (economy) In accordance with ISO 21118:2013
Portrait Colour Light Output	12,000 lm
Portrait White Light Output Resolution	12,000 lm WUXGA, 1920 x 1200, 16:10
High Definition	4K enhancement
Aspect Ratio	16:10
Contrast Ratio	2,500,000 : 1
Native Contrast	2,000 : 1
Light source	Laser
Laser Light source	20,000 hours Durability High, 30,000 hours Durability Eco
Keystone Correction	Manual vertical: \pm 45 °, Manual horizontal \pm 30 °
Colour Reproduction	Upto 1.07 billion colours
OPTICAL	
Throw Ratio	1.57 - 2.56:1
Zoom	Motorized, Factor: 1 - 1.6
Projection Lens Zoom Ratio	1.57 - 2.56 : 1
Lens	Optical
Lens Shift	Motorized - Vertical ± 60 %, horizontal ± 18 %
Lens position memory	10 positions
Screen Size	60 inches - 500 inches
Projection Distance Wide	2 m - 17.2 m
Projection Distance Tele	3.3 m - 27.8 m
Projection Distance Wide/Tele	
Projection Lens F Number	1.8 - 2.5
Projection Lens Focal Length	
Projection Lens Focus	Motorized
nterchangeable Lens	Yes
CONNECTIVITY	
nterfaces	Stereo mini jack audio in (3x), Stereo mini jack audio out, HDBaseT, BNC in, HDMI in, DVI in,
	VGA out, VGA in, Ethernet interface (100 Base-TX / 10 Base-T), RS-232C, USB 2.0 Type B
	(Service Only), HD-SDI, Wireless LAN b/g/n (2.4GHz) (optional)
Epson iProjection App	Ad-Hoc / Infrastructure
ADVANCED FEATURES	
Security	Kensington lock, Security bar, Wireless LAN unit lock, Wireless LAN security, Password
	protection
Other features	4K enhancement, Absolute Black, Auto Calibration, Customizable user logo, Frame
	interpolation, Integrated camera for image calibration & image capture, Lens position memory
/ideo Color Modes	Cinema, Dynamic, Presentation, DICOM SIM, Multi Projection, BT709
Projector control	via: AMX, Crestron, Extron
GENERAL Power consumption	908 Watt 597 Watt (economy) 0.3 Watt (standby). On mode power consumption as defined in
Power consumption	908 Watt, 597 Watt (economy), 0.3 Watt (standby), On mode power consumption as defined in
Supply Voltage	JBMS-84 833 Watt AC 100 V - 240 V, 50 Hz - 60 Hz
Product dimensions	586 x 492 x 211 mm (Width x Depth x Height)
Product aimensions Product weight	23.7 kg
Voise Level	23.7 kg Normal: 37 dB (A) - Economy: 30 dB (A) (4K enhancement OFF)
Supported Temperature	Storage -10° C - 60° C
Supported Humidity	Operation 20% - 80%, Storage 10% - 90%
ncluded Software	EasyMP Monitor, EasyMP Multi PC Projection
Options	HDBaseT Transmitter, Quick wireless USB key, Wireless LAN unit
Room Type / Application	Boardroom, Large Meeting Room / Auditorium, Projection Mapping, Signage / Retail, Visitor
soon Type / Application	Attraction
	Ceiling Mounted
Positioning	
Positioning	-
-	White
Positioning Colour DTHER	-

EB-L1500UH

WHAT'S IN THE BOX

- Remote control incl. batteries
- Quick Start Guide
- Power and signal cable (3 m)

EPSON[®]

- Computer cable
- Cable cover
- CD Manual

OPTIONAL ACCESSORIES

- Wireless LAN Adapter ELPAP10 V12H731P01
- HDBaseT Transmitter ELPHD01 V12H547041
- Ceiling Mount ELPMB48 High EB-G7000/L1000 V12H803010
- Ceiling Mount ELPMB47 Low EB-G7000/L1000 V12H802010
- Air Filter ELPAF51
 V13H134A51
- 3D Polarizer ELPPL01
 V12H618A01
- Stacking Frame ELPMB59 L1000 Series (EVO) V12H996B59

OPTIONAL LENSES

- Lens ELPLU03S L & G Series ST off axis 1 V12H004UA3
- Lens ELPLX02 UST Lens L1500/1700 Series V12H004X02
- Lens ELPLW06 L1500U/1505U wide zoom 2 V12H004W06
- Lens ELPLW05 G7000 & L1000 Series wide zoom 1 V12H004W05
- Lens ELPLU04 G7000 & L1000 Series ST off axis 2 V12H004U04
- Lens ELPLU03 G7000 & L1000 Series ST off axis 1 V12H004U03
- Lens ELPLM15 Mid Throw L1500/L1700 Series V12H004M0F
- Lens ELPLM11 Mid throw 4 G7000/L1000 series V12H004M0B
- Lens ELPLM10 Mid throw 3 G7000/L1000 series V12H004M0A
- Lens ELPLL08 Long throw G7000/L1000 series V12H004L08
- Lens ELPLW08 Wide throw
- V12H004W08
- Lens ELPLX02W UST Lens L1500/1700 Series V12H004Y02

LOGISTICS INFORMATION

SKU	V11H910040
EAN code	8715946646985
Country of Origin	China
Layer	1 Units
Layer Block	1 Units

Or visit us at https://www.epson.co.uk/contactus * 10p per minute plus network extras.

1. - Laser life of up to 83,000 hours in custom mode.



EB-L1500UH