

Available from Spring 2016

Blending Premium 1-Chip DLP™ Imaging with Long-Lasting SOLID SHINE Laser Power



Brightness	5,000 lm
Resolution	WUXGA
Contrast	10,000:1 and above
Lens	Manual zoom (2X) and focus, manual lens shift
Connections	HDMI x 2, Computer (RGB) x 2
Dimensions (W x H x D)	500 x 170 x 500 mm (or less) / 19 11/16" x 6 11/16" x 19 11/16" (or less)
Weight	17 kg or less / 37.5 lbs or less

High Brightness and Picture Quality

- New-Generation Laser Diode Delivers High 5,000 Im Brightness
- Authentic WUXGA Resolution with the Latest DLP[™] Chip
- Dynamic Light Control for 10,000:1*1 Contrast
- Accurate White Balance and Color Reproduction in Any Projection Mode
- Detail Clarity Processor 3 Brings Natural Clarity to the Finest Details
- Daylight View Basic Ensures Pin-Sharp Images in Bright Environments

Excellent Reliability and Long Life

- Laser Light Source with Original Panasonic Technology Delivers Approximately 20,000 hours*² of Continuous Operation
- Filterless Design Significantly Reduces Routine Maintenance
- Dust-Resistant Structure with Airtight Optical Block
- Compatible with Optional Panasonic Early Warning Software (ET-SWA100 Series)

Flexibility and Functionality

- Single-cable*³ DIGITAL LINK Connection Transmits Full HD Video and Control Signals for Up to 150 m (492 ft)*⁴
- Compatible with Art-Net Lighting-control Protocol
- Edge-blending Function Joins Screens Seamlessly
- Free 360-degree Installation (Vertical and Horizontal) Including Portrait Mode for Vertical Image Projection
- Lens-centered Design for Easy Ceiling Installation

*1 With Dynamic Contrast set to ON. *2 Light source lifetime may be reduced depending on environmental conditions. *3 Requires CAT 5e STP cable or above. *4 150 m (492 ft) transmission available only in Long Reach Mode with the optional ET-YFB200G DIGITAL LINK Switcher. Signal resolution is limited to 1080/60p (dot-clock frequency 148.5 MHz) and below.



Weights and dimensions shown are approximate. Specifications and appearance are subject to change without notice. Product availability differs depending on region and country. This product may be subject to export control regulations. DUP. DLP log on and DLP Medallon log on are trademarks or registered trademarks of Texas Instruments. HDMI, the HDMI Logo, and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing LLC in the United States and other countries. All other trademarks are the property of their respective trademark owners. © 2015 Panasonic Corporation. All rights reserved.



For more information about Panasonic projectors, please visit: Projector Global Website – panasonic.net/avc/projector Facebook – www.facebook.com/panasonicprojector YouTube – www.youtube.com/user/PanasonicProjector